



Micro
series
OFixin®



Dates and images

Intrauma S.r.l. reserves the right to modify the design and finishing of the products shown and described in the present catalogue without any notice. The images are informative and only regarded as examples. The information provided is purely indicative of the products displayed. Such information does not constitute an accurate description of the characteristics on the part of the manufacturer. We therefore invite our clients to always contact Intrauma S.r.l. to obtain full details on our product's specifications.

© Intrauma - Patented products - July 2015



V1806 - Straight-Support - Length 31 mm - Thickness 1,2 mm - 4 Holes

Toy poodle, 1,3 kg.

Courtesy of Dr. Tetsuaki Koreeda



V1800 - T Support - Length 23 mm - Thickness 1,2 mm - 4 Holes

Toy poodle, 2,5 kg.

Courtesy of Dr. A. e L. Vezzoni



V1808 - Straight Support - Length 60 mm - Thickness 1,2 mm - 6 Holes

Rabbit, 1,4 kg.

Courtesy of Dr. Ulrich Reif






V1806 - Straight Support - Length 31 mm - Thickness 1,2 mm - 4 Holes

Spitz, 1,8 kg.

Courtesy of Dr. Alessandro Boero



V1800 - T Support - Length 23 mm - Thickness 1,2 mm - 4 Holes

Chihuahua, 2,0 kg.


Courtesy of Dr. Ullrich Reif



V1808 - Straight Support - Length 60 mm - Thickness 1,2 mm - 6 Holes

Pomeranian, 2,5 kg.

Courtesy of Dr. Fara / Dr. Omodeo





Micro Series Supports

Ref.	Support	L. mm	THK mm	Holes
V1800	T	23	1,2	4
V1801	Long T	32	1,2	5
V1802	L (R)	25	1,2	4
V1803	L (L)	25	1,2	4
V1804	Long L (R)	34	1,2	5
V1805	Long L (L)	34	1,2	5
V1806	Straight	31	1,2	4
V1807	Straight	47	1,2	6
V1808	Straight	60	1,2	6
V1810	Micro cutable	131	1,2	26


NOTE: the V1810 support is provided without bushing.
Bushing: V121 - Micro series bushing.

Scale 1:1



Micro Series Bushing

Ref.	Description
V121	Micro series bushing
V1210	Micro series bushing (10 pcs.)



Autolocking Micro Screws ø 1,7 mm

Ref.	L. mm
V2356	6
V2357	7
V2358	8
V2359	9
V2360	10
V2362	12
V2364	14

Ordering information



Micro Series Instrumentation

Ref.	Description
VS181	Drill bit ø 13 mm
VS182	Drill guide
VS183	Depth meter
VS184	Micro screwdriver
VS185	Micro bushing carrier

Micro Series Screws Case

Ref.	Description
VS180	Screw case 260x120x30 mm

VS181



VS182



VS183




VS184



VS185



VS180



*All you need.
With us.*



Intrauma S.r.l. - Via Genova, 19 - 10098 Rivoli (TO) Italia
Tel. +39.011.953.94.96 - Fax +39.011.957.42.91 - fixin@intrauma.com - www.intrauma.com

USA Office: **Starvet LLC** - Suite 317A - 50 Harrison str. - 07030 Hoboken - NJ
P. 201.420.0110 - F. 201.420.0228 - starvet@verizon.net