

Attendee Exclusive offers

**Special offers for
attendees only.
These offers have a validity
of 3 months from the
attended Lab.
Only screws lenght, diameter
and plates shape can be
change on the basis of
customers needs**



Website (case studies, catalogs, course offerings):
www.intrauma.com

Intrauma is a worldwide leading orthopedic company, we are proud to offer CE around the world (Asia, Canada, Europe and United States)



Top 28 Reasons to Use

- The Patented Locking System Allows a Safe Locking of the Screw in the Plate
- Simple Placement of the Drill Guide into the Bushing
- Easy Intraoperative Screw Exchange of Screws if Needed
- Straightforward Screw Removal When Required
- Small, Simple Instrumentation, Makes it Easier to Organize
- Fixin Offers a Wide Range of Anatomical Shaped Plates for Every Kind of Indication and Breed Size
- Weight Range Goes from 1.3 Kg Up to 60 Kg
- Various Thicknesses of Same Design
- Various Lengths of Same Design
- Thinner Implants Facilitate Positioning in Distal Extremities in Small Breeds
- Fixin is Fast and Easy to Use; Decreases Surgery Time and Simplifies Surgical Procedure
- The Fixin System has Few Dedicated Instruments. No Need to Rebuy Complete Instruments Set
- You Can Order Plates and Screws When Needed
- Easy to Contour
- Different Screw Diameters in Same Implant Possible
- Reversible Implants (V3006-5 Etc.) Same Plate Can Be Used as Left and Right
- Small K. Wire Holes in the Plates Allow Easy Temporary Positioning
- Plates Designed for Minimal Invasive Operation/Orthopedics
- Smaller Incisions Possible
- Drill Guide Can Be Used as Skin and Muscle Retractor Because of the Conical Coupling Lock
- Minimal Investment
- 24-hour Turnaround Time
- Basic to Advanced CE Courses Offered Throughout U.S., Europe, and Asia
- Cuttables Plates Available
- New Technology, Screw no Longer Pulls the Bone Toward the Plate
- Requires Less Screws & Less Surgery Time
- Plate not Pulled onto the Bone, Blood Supply is Preserved
- Head of the Screw Locks into the Plate

Special offers



0 **Fixin Dedicated Instruments €550.00**
This Kit includes all dedicated Fixin instruments.

1 **Complete Instruments €960.00**
and get 1 plate and 5 screws for free!

2 **Micro System Starter Kit € 2,200.00**
Instead of 2,832.00 € **SAVE €632.00**

3 **Mini System, Kit € 2,200.00**
Instead of 2,690.00 € **SAVE €490.00**

4 **Standard System Starter Kit €2,400.00**
Instead of 2,958.00 € **SAVE €558.00**

5 **Micro-Mini Starter Kit €4,400.00**
Instead of 5,430.00 € **SAVE €1,030.00**

6 **Small Starter Kit €4,400.00**
Instead of 5,407.00 € **SAVE €1,007.00**

7 **Medium Starter Kit €5,500.00**
Instead of 7,828.00 € **SAVE €2,328.00**

8 **Large Starter Kit €6,500.00**
Instead of 9991,00 € **SAVE €3,491.00**

For your reference some pre-assembled SETS, based on the exercises performed during the lab, are proposed below. You can make amendments to them, just ask our representative for a plain file to fill with your selection of plates and screws and you'll get a quotation of your customized set; also in this case to apply for special offers you have to reach the minimum amounts listed above.

These offers are valid only during Fixin Courses. Images provided as an example.

0 **Fixin Dedicated instruments €550.00** This kit includes all dedicated Fixin instruments

Micro series instruments

Ref.	Description	Qty
VS181	Drill bit ø 1.3 mm	1
VS182	Drill guide	1
VS184	Micro screwdriver	1



VS182



VS181



VS184

1.9-2.5 series instruments

Ref.	Description	Qty
S24	Hexagonal screwdriver ø 2.0 mm	1
VS210	Drill guide ø 1.9 - 2.5 mm	2
VS25	Bushing carrier/extractor	1



VS210



S24



VS25

3.0-3.5 series instruments

Ref.	Description	Qty
VS35	Bushing carrier/extractor	1
VS380	Drill guide ø 3.5 mm	1
VS381	Drill guide ø 3.0 mm	2



VS35



VS380



VS381

1

Complete Instruments Starter Kit €960.00

Get 1 plate and 5 screws for free

Micro series instruments


Ref.	Description	Qty
VS181	Drill bit ø 1.3 mm	1
VS182	Drill guide	1
VS184	Micro screwdriver	1

1.9-2.5 series instruments

Ref.	Description	Qty
VS210	Drill guide ø 1.9 - 2.5 mm	2
VS220	Drill bit ø 2.0 mm	1
VS221	Drill bit ø 1.5 mm	1
S23	Depth meter ø 2.5 mm	1
S24	Hexagonal screwdriver ø 2.0 mm	1
VS25	Bushing carrier/extractor	1
VS27	Pinstoppers 1.9 - 2.5 series	1

3.0-3.5 series instruments

Ref.	Description	Qty
S33	Depth meter ø 3.0 - 3.5 mm	1
S340	Exagonal screwdriver ø 2.5 mm	1
VS35	Bushing carrier/extractor	1
VS36	Pinstoppers 3.0 - 3.5 series	1
VS380	Drill guide ø 3.5 mm	1
VS381	Drill guide ø 3.0 mm	2
VS390	Drill bit ø 2.8 mm	1
VS391	Drill bit ø 2.5 mm	1



2

Micro Starter Kit €2,200.00

SAVE €632.00

Micro series supports

Ref.	Support	L. mm	THK mm	Qty
V1800	T	23	1.2	1
V1801	Long T	32	1.2	1
V1802	L (R)	25	1.2	1
V1803	L (L)	25	1.2	1
V1804	Long L (R)	34	1.2	1
V1805	Long L (L)	34	1.2	1
V1806	Straight	31	1.2	1
V1807	Straight	47	1.2	1
V1808	Straight	60	1.2	1
V1810	Micro cutable	131	1.2	1

NOTE: the V1810 support is provided without bushing.
Bushing: V121 - Micro series bushing.

Micro series instruments



Ref.	Description	Qty
VS183	Depth meter	1
VS184	Micro screwdriver	1
VS180	Micro series instruments tray	1
VS200	Screw case ø 1.7 - 1.9 - 2.5 - 2.7 C	1
VS185	Micro bushing carrier	1

Micro screws ø 1.7 mm

Ref.	L. mm	Qty
V2356	6	5
V2357	7	5
V2358	8	5
V2359	9	5
V2360	10	5
V2362	12	5
V2364	14	5

Micro series bushing

Ref.	Description	Qty
V1210	Bushing (10 pcs.)	1



VS180 The tray is provided without instruments

3

Mini System Starter Kit €2,200.00

SAVE €490.00

1.9-2.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V2001	T	32	1.5	1
V2002	Acetabular	27	1.2	1
V2003	T	25	1.2	1
V2004	L	53	1.5	1
V2101	Straight	39	1.2	1
V2102	Straight	63	1.5	1
V2201	Straight	71	1.5	1
V2204	Straight	93	2.0	1



1.9-2.5 series instruments

Ref.	Description	Qty
VS200	Screw case ø 1.7 - 1.9 - 2.5 - 2.7 C	1
VS210	Drill guide ø 1.9 - 2.5 mm	2
VS220	Drill bit ø 2.0 mm	1
VS221	Drill bit ø 1.5 mm	1
S23	Depth meter ø 2.5 mm	1
VS231	Depth meter ø 1.9 mm	1
S24	Hexagonal screwdriver ø 2.0 mm	1
VS25	Bushing carrier/extractor	1
VS27	Pinstoppers 1.9 - 2.5 series	1
VSVM	Temporary stab. screw ø 2.5 mm	1
VSV19	Temporary stab. screw ø 1.9 mm	1

Screws ø 1.9 mm

Ref.	L. mm	Qty
V2406	6	2
V2407	7	1
V2408	8	2
V2409	9	1
V2410	10	2
V2412	12	2
V2414	14	2

Screws ø 2.5 mm

Ref.	L. mm	Qty
V2510	10	3
V2512	12	4
V2514	14	4
V2516	16	5
V2518	18	4
V2520	20	3
V2522	22	3
V2524	24	3
V2526	26	3
V2528	28	2
V2530	30	2



VS200

4

Standard System Starter Kit €2,400.00

SAVE €558.00

3.0-3.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V3001	T	45	1.5	1
V3003	T	53	2.0	1
V3005	L	64	2.0	1
V3303	Straight	118	2.5	1
V3304	Straight	138	2.5	2
V3401	Straight	171	3.0	2



3.0-3.5 series instruments

Ref.	Description	Qty
VS310	Screw case ø 3.0 - 3.5 - 3.5 C	1
S33	Depth meter ø 3.0 - 3.5 mm	1
S340	Exagonal screwdriver ø 2.5 mm	1
VS35	Bushing carrier/extractor	1
VS36	Pinstoppers 3.0 - 3.5 series	1
VS380	Drill guide ø 3.5 mm	1
VS381	Drill guide ø 3.0 mm	2
VS390	Drill bit ø 2.8 mm	1
VS391	Drill bit ø 2.5 mm	1
VSVS	Temporary stab. screw ø 3.5 mm	1
VSV30	Temporary stab. screw ø 3.0 mm	1

Screws ø 3.0 mm

Ref.	L. mm	Qty
V2610	10	1
V2612	12	1
V2614	14	1
V2616	16	1
V2618	18	1
V2620	20	1
V2622	22	1

Screws ø 3.5 mm

Ref.	L. mm	Qty
V3512	12	5
V3514	14	5
V3516	16	5
V3518	18	5
V3520	20	5
V3522	22	7
V3524	24	5
V3526	26	3
V3528	28	3
V3530	30	2
V3532	32	2
V3534	34	2
V3536	36	2
V3538	38	1
V3542	42	1



VS310

5

Micro-Mini Starter Kit € 4,400.00

SAVE €1,030.00

Micro series supports

Ref.	Support	L. mm	THK mm	Qty
V1800	T	23	1.2	1
V1801	Long T	32	1.2	1
V1802	L (R)	25	1.2	1
V1803	L (L)	25	1.2	1
V1804	Long L (R)	34	1.2	1
V1805	Long L (L)	34	1.2	1
V1806	Straight	31	1.2	1
V1807	Straight	47	1.2	1
V1808	Straight	60	1.2	1

1.9-2.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V2001	T	32	1.5	1
V2002	Acetabular	27	1.2	1
V2003	T	25	1.2	1
V2004	L	53	1.5	1
V2101	Straight	39	1.2	1
V2102	Straight	63	1.5	1
V2201	Straight	71	1.5	1
V2204	Straight	93	2.0	1
V2207	Cutable	195	1.5	1

NOTE: the V2207 support is provided without bushing.
Bushing: V120 - Mini series bushing.

Micro series instruments

Ref.	Description	Qty
VS183	Depth meter	1
VS184	Micro screwdriver	1
VS185	Micro bushing carrier	1
VS180	Micro series instruments tray	1

1.9-2.5 series instruments

Ref.	Description	Qty
VS200	Screw case ø 1.7 - 1.9 - 2.5 - 2.7 C	1
VS210	Drill guide ø 1.9 - 2.5 mm	2
VS220	Drill bit ø 2.0 mm	1
VS221	Drill bit ø 1.5 mm	1
S23	Depth meter ø 2.5 mm	1
VS231	Depth meter ø 1.9 mm	1
S24	Hexagonal screwdriver ø 2.0 mm	1
VS25	Bushing carrier/extractor	1
VS27	Pinstoppers 1.9 - 2.5 series	1
VSVM	Temporary stab. screw ø 2.5 mm	1
VSV19	Temporary stab. screw ø 1.9 mm	1
V1200	Bushing (10 pcs.)	1
VS201	ø 1.9 - 2.5 tray 260x120x30 mm	1

Micro screws ø 1.7 mm


Ref.	L. mm	Qty
V2356	6	5
V2357	7	5
V2358	8	5
V2359	9	5
V2360	10	5
V2362	12	5
V2364	14	5

Screws ø 1.9 mm


Ref.	L. mm	Qty
V2406	6	2
V2407	7	1
V2408	8	2
V2409	9	1
V2410	10	2
V2412	12	2
V2414	14	2

Screws ø 2.5 mm

Ref.	L. mm	Qty
V2510	10	4
V2512	12	4
V2514	14	5
V2516	16	4
V2518	18	3
V2520	20	3
V2522	22	3
V2524	24	3
V2526	26	3
V2528	28	2
V2530	30	2



VS180 The tray is provided without instruments



VS201 The tray is provided without instruments



6

Small Starter Kit € 4,400.00

SAVE €1,007.00

Micro series supports

Ref.	Support	L. mm	THK mm	Qty
V1801	Long T	32	1.2	1
V1806	Straight	31	1.2	1

1.9-2.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V2101	Straight	39	1.2	1
V2201	Straight	71	1.5	1
V2204	Straight	93	2.0	1

3.0-3.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V3001	T	45	1.5	1
V3303	Straight	118	2.5	1
V3304	Straight	138	2.5	1
V3401	Straight	171	3.0	1

Micro series instruments

Ref.	Description	Qty
VS183	Depth meter	1
VS184	Micro screwdriver	1
VS185	Micro bushing carrier	1
VS180	Micro series instruments tray	1

1.9-2.5 series instruments

Ref.	Description	Qty
VS200	Screw case ø 1.7 - 1.9 - 2.5 - 2.7 C	1
VS210	Drill guide ø 1.9 - 2.5 mm	3
VS220	Drill bit ø 2.0 mm	1
VS221	Drill bit ø 1.5 mm	1
S23	Depth meter ø 2.5 mm	1
S24	Hexagonal screwdriver ø 2.0 mm	1
VS25	Bushing carrier/extractor	1
VS27	Pinstoppers 1.9 - 2.5 series	1
V SVM	Temporary stab. screw ø 2.5 mm	1
VSV19	Temporary stab. screw ø 1.9 mm	1

3.0-3.5 series instruments

Ref.	Description	Qty
VS310	Screw case ø 3.0 - 3.5 - 3.5 C	1
S33	Depth meter ø 3.0 - 3.5 mm	1
S340	Exagonal screwdriver ø 2.5 mm	1
VS35	Bushing carrier/extractor	1
VS36	Pinstoppers 3.0 - 3.5 series	1
VS380	Drill guide ø 3.5 mm	1
VS381	Drill guide ø 3.0 mm	2
VS390	Drill bit ø 2.8 mm	1
VS391	Drill bit ø 2.5 mm	1
VSVS	Temporary stab. screw ø 3.5 mm	1
VSV30	Temporary stab. screw ø 3.0 mm	1

Micro screws ø 1.7 mm

Ref.	L. mm	Qty
V2356	6	2
V2357	7	2
V2358	8	2
V2359	9	2
V2360	10	3
V2362	12	3
V2364	14	3

Screws ø 2.5 mm

Ref.	L. mm	Qty
V2510	10	4
V2512	12	4
V2514	14	5
V2516	16	4
V2518	18	3
V2520	20	3
V2522	22	3
V2524	24	3
V2526	26	3
V2528	28	2
V2530	30	2

Screws ø 3.5 mm

Ref.	L. mm	Qty
V3516	16	3
V3518	18	4
V3520	20	6
V3522	22	5
V3524	24	5
V3526	26	4
V3528	28	3
V3530	30	3
V3532	32	3
V3534	34	2
V3536	36	2
V3538	38	2
V3542	42	2
V3546	46	2
V3550	50	1

VS183

VS184

S340

S24

VS185

VS220

VS221

VS390

VS391

S23

S33

VS25

VS35

VS380 VS381 VS210

VS27


VS36

VSV19


V SVM

VSV30

VSVS



VS180 The tray is provided without instruments



VS201 The tray is provided without instruments



VS200



VS310

7

Medium Starter Kit € 5,500.00

SAVE €2,328.00

Micro series supports

Ref.	Support	L. mm	THK mm	Qty
V1800	T	23	1.2	1
V1801	Long T	32	1.2	1
V1806	Straight	31	1.2	1
V1807	Straight	47	1.2	1
V1808	Straight	60	1.2	1

1.9-2.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V2001	T	32	1.5	1
V2004	L	53	1.5	1
V2101	Straight	39	1.2	1
V2102	Straight	63	1.5	1
V2201	Straight	71	1.5	1
V2204	Straight	93	2.0	1

3.0-3.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V3001	T	45	1.5	1
V3003	T	53	2.0	1
V3005	L	64	2.0	1
V3201	Straight	60	1.5	1
V3303	Straight	118	2.5	1
V3304	Straight	138	2.5	1
V3401	Straight	171	3.0	1

Micro series instruments

Ref.	Description	Qty
VS183	Depth meter	1
VS184	Micro screwdriver	1
VS185	Micro bushing carrier	1
VS180	Micro series instruments tray	1

1.9-2.5 series instruments

Ref.	Description	Qty
VS200	Screw case ø 1.7 - 1.9 - 2.5 - 2.7 C	1
VS210	Drill guide ø 1.9 - 2.5 mm	2
VS220	Drill bit ø 2.0 mm	1
VS221	Drill bit ø 1.5 mm	1
VS231	Depth meter ø 1.9 mm	1
S23	Depth meter ø 2.5 mm	1
S24	Hexagonal screwdriver ø 2.0 mm	1
VS25	Bushing carrier/extractor	1
VS27	Pinstoppers 1.9 - 2.5 series	1
VSTM	Temporary stab. screw ø 2.5 mm	1
VSV19	Temporary stab. screw ø 1.9 mm	1

3.0-3.5 series instruments

Ref.	Description	Qty
VS310	Screw case ø 3.0 - 3.5 - 3.5 C	1
VS325	Fixin plate benders (2 pcs.)	1
S33	Depth meter ø 3.0 - 3.5 mm	1
S340	Exagonal screwdriver ø 2.5 mm	1
VS35	Bushing carrier/extractor	1
VS36	Pinstoppers 3.0 - 3.5 series	1
VS380	Drill guide ø 3.5 mm	1
VS381	Drill guide ø 3.0 mm	2
VS390	Drill bit ø 2.8 mm	1
VS391	Drill bit ø 2.5 mm	1
VSVS	Temporary stab. screw ø 3.5 mm	1
VSV30	Temporary stab. screw ø 3.0 mm	1

Micro screws ø 1.7 mm

Ref.	L. mm	Qty
V2356	6	3
V2357	7	3
V2358	8	3
V2359	9	3
V2360	10	4
V2362	12	4
V2364	14	4

Screws ø 1.9 mm

Ref.	L. mm	Qty
V2406	6	1
V2407	7	1
V2408	8	1
V2409	9	1
V2410	10	1
V2412	12	1
V2414	14	1

Screws ø 2.5 mm



Ref.	L. mm	Qty
V2510	10	4
V2512	12	5
V2514	14	6
V2516	16	5
V2518	18	3
V2520	20	3
V2522	22	3
V2524	24	3
V2526	26	2
V2528	28	2
V2530	30	2

Screws ø 3.0 mm

Ref.	L. mm	Qty
V2610	10	1
V2612	12	1
V2614	14	1
V2616	16	1
V2618	18	1
V2620	20	1
V2622	22	1
V2624	24	1
V2626	26	1
V2628	28	1
V2630	30	1

Screws ø 3.5 mm

Ref.	L. mm	Qty
V3516	16	3
V3518	18	4
V3520	20	6
V3522	22	5
V3524	24	5
V3526	26	4
V3528	28	4
V3530	30	4
V3532	32	4
V3534	34	3
V3536	36	3
V3538	38	3
V3542	42	2
V3546	46	2
V3550	50	1



VS180 The tray is provided without instruments



8

Large Starter Kit €6,500.00

SAVE €3,491.00

Micro series supports

Ref.	Support	L. mm	THK mm	Qty
V1800	T	23	1.2	1
V1801	Long T	32	1.2	1
V1806	Straight	31	1.2	1
V1807	Straight	47	1.2	1
V1808	Straight	60	1.2	1


1.9-2.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V2001	T	32	1.5	1
V2003	T	25	1.2	1
V2004	L	53	1.5	1
V2101	Straight	39	1.2	1
V2102	Straight	63	1.5	1
V2106	Straight	46	1.5	1
V2201	Straight	71	1.5	1
V2204	Straight	93	2.0	1


3.0-3.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V3001	T	45	1.5	1
V3005	L	64	2.0	1
V3021	T	44	1.5	1
V3201	Straight	60	1.5	1
V3203	Straight	109	2.0	1
V3302	Straight	95	2.5	1
V3303	Straight	118	2.5	1
V3304	Straight	138	2.5	1
V3401	Straight	171	3.0	1


VS180*



VS201*



VS311*



*The trays are provided without instruments

Micro series instruments

Ref.	Description	Qty
VS183	Depth meter	1
VS184	Micro screwdriver	1
VS185	Micro bushing carrier	1
VS180	Micro series instruments tray	1

1.9-2.5 series instruments

Ref.	Description	Qty
VS200	Screw case ø 1.7 - 1.9 - 2.5 - 2.7 C	1
VS201	ø 1.9 - 2.5 tray 260x120x30 mm	1
VS210	Drill guide ø 1.9 - 2.5 mm	3
VS220	Drill bit ø 2.0 mm	1
VS221	Drill bit ø 1.5 mm	1
VS231	Depth meter ø 1.9 mm	1
S23	Depth meter ø 2.5 mm	1
S24	Hexagonal screwdriver ø 2.0 mm	1
VS25	Bushing carrier/extractor	1
VS27	Pinstoppers 1.9 - 2.5 series	1
VSVM	Temporary stab. screw ø 2.5 mm	1
VSV19	Temporary stab. screw ø 1.9 mm	1

3.0-3.5 series instruments

Ref.	Description	Qty
VS310	Screw case ø 3.0 - 3.5 - 3.5 C	1
VS325	Fixin plate benders (2 pcs.)	1
S33	Depth meter ø 3.0 - 3.5 mm	1
S340	Exagonal screwdriver ø 2.5 mm	1
VS35	Bushing carrier/extractor	1
VS36	Pinstoppers 3.0 - 3.5 series	1
VS311	3.0 - 3.5 tray 260x120x30 mm	1
VS380	Drill guide ø 3.5 mm	1
VS381	Drill guide ø 3.0 mm	2
VS390	Drill bit ø 2.8 mm	1
VS391	Drill bit ø 2.5 mm	1
VSVS	Temporary stab. screw ø 3.5 mm	1
VSV30	Temporary stab. screw ø 3.0 mm	1
VS900	JIG modular 3 sizes	1

Micro screws ø 1.7 mm

Ref.	L. mm	Qty
V2356	6	3
V2357	7	3
V2358	8	3
V2359	9	3
V2360	10	4
V2362	12	4
V2364	14	4

Screws ø 1.9 mm

Ref.	L. mm	Qty
V2406	6	2
V2407	7	2
V2408	8	2
V2409	9	2
V2410	10	2
V2412	12	2
V2414	14	2

Screws ø 2.5 mm


Ref.	L. mm	Qty
V2510	10	4
V2512	12	6
V2514	14	8
V2516	16	6
V2518	18	4
V2520	20	3
V2522	22	3
V2524	24	3
V2526	26	2
V2528	28	2
V2530	30	2

Screws ø 3.0 mm

Ref.	L. mm	Qty
V2610	10	2
V2612	12	2
V2614	14	2
V2616	16	2
V2618	18	2
V2620	20	2
V2622	22	2
V2624	24	2
V2626	26	2
V2628	28	2
V2630	30	2

Screws ø 3.5 mm

Ref.	L. mm	Qty
V3512	12	2
V3514	14	2
V3516	16	3
V3518	18	6
V3520	20	8
V3522	22	7
V3524	24	6
V3526	26	5
V3528	28	4
V3530	30	4
V3532	32	4
V3534	34	3
V3536	36	3
V3538	38	3
V3542	42	2
V3546	46	2
V3550	50	1



VS310

*All you need.
With us.*



Intrauma S.r.l. - Via Genova, 19 - 10098 Rivoli (TO) Italia
Tel. +39.011.953.94.96 - Fax +39.011.957.42.91 - fixin@intrauma.com - www.intrauma.com

USA Office: **Intrauma America LLC** – Suite 304 - 50 Harrison str. - 07030 Hoboken - NJ
P. 201.420.0110 - F. 201.420.0228 – orders@intrauma.com