


ATTENDEE EXCLUSIVE

OFFERS

 **intrauma**[®]

STARTER KITS



 **intrauma**[®]

Website (case studies, catalogs, course offerings): www.intrauma.com

Intrauma is a worldwide leading orthopedic company,
we are proud to offer CE around the world (Asia, Canada, Europe and United States)

Top 28 Reasons to Use

- 1** The Patented Locking System Allows a Safe Locking of the Screw in the Plate
- 2** Simple Placement of the Drill Guide into the Bushing
- 3** Easy Intraoperative Screw Exchange of Screws if Needed
- 4** Straightforward Screw Removal When Required
- 5** Small, Simple Instrumentation, Makes it Easier to Organize
- 6** Fixin Offers a Wide Range of Anatomical Shaped Plates for Every Kind of Indication and Breed Size
- 7** Weight Range Goes from 1.3 Kg Up to 60 Kg
- 8** Various Thicknesses of Same Design
- 9** Various Lengths of Same Design
- 10** Thinner Implants Facilitate Positioning in Distal Extremities in Small Breeds
- 11** Fixin is Fast and Easy to Use; Decreases Surgery Time and Simplifies Surgical Procedure
- 12** The Fixin System has Few Dedicated Instruments. No Need to Rebuy Complete Instruments Set
- 13** You Can Order Plates and Screws When Needed
- 14** Easy to Contour
- 15** Different Screw Diameters in Same Implant Possible
- 16** Reversible Implants (V3006-5 Etc.) Same Plate Can Be Used as Left and Right
- 17** Small K. Wire Holes in the Plates Allow Easy Temporary Positioning
- 18** Plates Designed for Minimal Invasive Operation/Orthopedics
- 19** Smaller Incisions Possible
- 20** Drill Guide Can Be Used as Skin and Muscle Retractor Because of the Conical Coupling Lock
- 21** Minimal Investment
- 22** 24-hour Turnaround Time
- 23** Basic to Advanced CE Courses Offered Throughout U.S., Europe, and Asia
- 24** Cuttables Plates Available
- 25** New Technology, Screw no Longer Pulls the Bone Toward the Plate
- 26** Requires Less Screws & Less Surgery Time
- 27** Plate not Pulled onto the Bone, Blood Supply is Preserved
- 28** Head of the Screw Locks into the Plate



1 Micro System Starter Kit **SGD 3.850**
.....

2 Mini System, Kit **SGD 3.850**
.....

3 Standard System Starter Kit **SGD 4.200**
.....

4 Micro-Mini Starter Kit **SGD 7.700**
.....

5 Small Starter Kit **SGD 7.700**
.....

6 Medium Starter Kit **SGD 9.600**
.....

7 Large Starter Kit **SGD 9.750**
.....

8 TPLO Starter Kit **SGD 8.750**
.....

1 Basic Kit **SGD 2.650** One power tool
.....

2 TPLO Kit **SGD 4.550**
.....

3 Osteotomies Kit **SGD 2.880**
.....



1 Isolock Starter Kit **SGD 4.200**
.....

Fixin[®] STARTER KITS

Orthopedic patented locking system



**Plates designed
for different indications.**

3.0 - 3.5 Series: Large system

1.9 - 2.5 Series: Mini system

1.7 Series: Micro system



1 Micro Starter Kit **SGD 3.850**

Micro series supports

Ref.	Support	L. mm	THK mm	Qty
V1800	T	23	1.2	1
V1801	Long T	32	1.2	1
V1802	L (R)	25	1.2	1
V1803	L (L)	25	1.2	1
V1804	Long L (R)	34	1.2	1
V1805	Long L (L)	34	1.2	1
V1806	Straight	31	1.2	1
V1807	Straight	47	1.2	1
V1808	Straight	60	1.2	1
V1810	Micro cutable	131	1.2	1

NOTE: the V1810 support is provided without bushing.

Bushing: V121 - Micro series bushing.

Micro series instruments

Ref.	Description	Qty
VS183	Depth meter	1
VS185	Micro bushing carrier	1
VS188	Micro screwdriver	1
VS180	Micro series instruments tray	1
VS200	Screw case ø 1.7 - 1.9 - 2.5 - 2.7 C	1

Micro screws ø 1.7 mm

Ref.	L. mm	Qty
V2356	6	5
V2357	7	5
V2358	8	5
V2359	9	5
V2360	10	5
V2362	12	5
V2364	14	5



Micro series bushing



Ref.	Description	Qty
V1210	Bushing (10 pcs.)	1



VS183




VS188



VS185



VS200



VS180

The tray is provided without instruments

2 Mini System Starter Kit **SGD 3.850**

1.9-2.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V2001	T	32	1.5	1
V2002	Acetabular	27	1.2	1
V2003	T	25	1.2	1
V2004	L	53	1.5	1
V2101	Straight	39	1.2	1
V2102	Straight	63	1.5	1
V2201	Straight	71	1.5	1
V2204	Straight	93	2.0	1

1.9-2.5 series instruments

Ref.	Description	Qty
VS200	Screw case ø 1.7 - 1.9 - 2.5 - 2.7 C	1
VS210	Drill guide ø 1.9 - 2.5 mm	2
VS220	Drill bit ø 2.0 mm	1
VS221	Drill bit ø 1.5 mm	1
VS23	Mini serie depth meter	1
VS231	Depth meter ø 1.9 mm	1
S24	Hexagonal screwdriver ø 2.0 mm	1
VS25	Bushing carrier/extractor	1
VS27	Pinstoppers 1.9 - 2.5 series	1
VSVM	Temporary stab. screw ø 2.5 mm	1
VSV19	Temporary stab. screw ø 1.9 mm	1

Screws ø 1.9 mm

Ref.	L. mm	Qty
V2406	6	2
V2407	7	2
V2408	8	2
V2409	9	2
V2410	10	2
V2412	12	2
V2414	14	2



Screws ø 2.5 mm

Ref.	L. mm	Qty
V2510	10	3
V2512	12	4
V2514	14	4
V2516	16	5
V2518	18	4
V2520	20	3
V2522	22	3
V2524	24	3
V2526	26	3
V2528	28	2
V2530	30	2



VS23



S24



VS25



VS210



VS220



VS221



VS231



VS27



VSV19



VSVM



VS200

3 Standard System Starter Kit SGD 4.200

3.0-3.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V3001	T	45	1.5	1
V3003	T	53	2.0	1
V3005	L	64	2.0	1
V3303	Straight	118	2.5	1
V3304	Straight	138	2.5	2
V3401	Straight	171	3.0	2

3.0-3.5 series instruments

Ref.	Description	Qty
VS310	Screw case ø 3.0 - 3.5 - 3.5 C	1
S33	Depth meter ø 3.0 - 3.5 mm	1
S340	Exagonal screwdriver ø 2.5 mm	1
VS35	Bushing carrier/extractor	1
VS36	Pinstoppers 3.0 - 3.5 series	1
VS380	Drill guide ø 3.5 mm	1
VS381	Drill guide ø 3.0 mm	2
VS390	Drill bit ø 2.8 mm	1
VS391	Drill bit ø 2.5 mm	1
VSVS	Temporary stab. screw ø 3.5 mm	1
VSV30	Temporary stab. screw ø 3.0 mm	1

Screws ø 3.0 mm

Ref.	L. mm	Qty
V2610	10	1
V2612	12	1
V2614	14	1
V2616	16	1
V2618	18	1
V2620	20	1
V2622	22	1



Screws ø 3.5 mm

Ref.	L. mm	Qty
V3512	12	5
V3514	14	5
V3516	16	5
V3518	18	5
V3520	20	5
V3522	22	7
V3524	24	5
V3526	26	3
V3528	28	3
V3530	30	2
V3532	32	2
V3534	34	2
V3536	36	2
V3538	38	1
V3542	42	1



S33



S340



VS35



VS380

VS381



VS390



VS391



VS36



VSV30



VSVS



VS310

4 Micro-Mini Starter Kit SGD 7.700

Micro series supports

Ref.	Support	L. mm	THK mm	Qty
V1800	T	23	1.2	1
V1801	Long T	32	1.2	1
V1802	L (R)	25	1.2	1
V1803	L (L)	25	1.2	1
V1804	Long L (R)	34	1.2	1
V1805	Long L (L)	34	1.2	1
V1806	Straight	31	1.2	1
V1807	Straight	47	1.2	1
V1808	Straight	60	1.2	1

1.9-2.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V2001	T	32	1.5	1
V2002	Acetabular	27	1.2	1
V2003	T	25	1.2	1
V2004	L	53	1.5	1
V2101	Straight	39	1.2	1
V2102	Straight	63	1.5	1
V2201	Straight	71	1.5	1
V2204	Straight	93	2.0	1
V2207	Cutable	195	1.5	1

NOTE: the V2207 support is provided without bushing.

Bushing: V120 - Mini series bushing.

Micro series instruments

Ref.	Description	Qty
VS183	Depth meter	1
VS188	Micro screwdriver	1
VS185	Micro bushing carrier	1
VS180	Micro series instruments tray	1

1.9-2.5 series instruments

Ref.	Description	Qty
VS200	Screw case ø 1.7 - 1.9 - 2.5 - 2.7 C	1
VS210	Drill guide ø 1.9 - 2.5 mm	2
VS220	Drill bit ø 2.0 mm	1
VS221	Drill bit ø 1.5 mm	1
VS23	Mini serie depth meter	1
VS231	Depth meter ø 1.9 mm	1
S24	Hexagonal screwdriver ø 2.0 mm	1
VS25	Bushing carrier/extractor	1
VS27	Pinstoppers 1.9 - 2.5 series	1
VSVM	Temporary stab. screw ø 2.5 mm	1
VSV19	Temporary stab. screw ø 1.9 mm	1
V1200	Bushing (10 pcs.)	1
VS201	ø 1.9 - 2.5 tray 260x120x30 mm	1

Micro screws ø 1.7 mm

Ref.	L. mm	Qty
V2356	6	5
V2357	7	5
V2358	8	5
V2359	9	5
V2360	10	5
V2362	12	5
V2364	14	5



Screws ø 1.9 mm

Ref.	L. mm	Qty
V2406	6	2
V2407	7	2
V2408	8	2
V2409	9	2
V2410	10	2
V2412	12	2
V2414	14	2



Screws ø 2.5 mm

Ref.	L. mm	Qty
V2510	10	4
V2512	12	4
V2514	14	5
V2516	16	4
V2518	18	3
V2520	20	3
V2522	22	3
V2524	24	3
V2526	26	3
V2528	28	2
V2530	30	2





VS183



VS188



VS185



VS220



VS221



VS23



S24



VS25



VS210




VS27



VSV19




VSVM



VS180

The tray is provided without instruments



VS201

The tray is provided without instruments



VS200

5 Small Starter Kit SGD 7.700

Micro series supports

Ref.	Support	L. mm	THK mm	Qty
V1801	Long T	32	1.2	1
V1806	Straight	31	1.2	1

1.9-2.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V2101	Straight	39	1.2	1
V2201	Straight	71	1.5	1
V2204	Straight	93	2.0	1

3.0-3.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V3001	T	45	1.5	1
V3303	Straight	118	2.5	1
V3304	Straight	138	2.5	1
V3401	Straight	171	3.0	1

Micro series instruments

Ref.	Description	Qty
VS183	Depth meter	1
VS188	Micro screwdriver	1
VS185	Micro bushing carrier	1
VS180	Micro series instruments tray	1

1.9-2.5 series instruments

Ref.	Description	Qty
VS200	Screw case ø 1.7 - 1.9 - 2.5 - 2.7 C	1
VS210	Drill guide ø 1.9 - 2.5 mm	3
VS220	Drill bit ø 2.0 mm	1
VS221	Drill bit ø 1.5 mm	1
VS23	Mini serie depth meter	1
S24	Hexagonal screwdriver ø 2.0 mm	1
VS25	Bushing carrier/extractor	1
VS27	Pinstoppers 1.9 - 2.5 series	1
VSVM	Temporary stab. screw ø 2.5 mm	1
VSV19	Temporary stab. screw ø 1.9 mm	1

3.0-3.5 series instruments

Ref.	Description	Qty
VS310	Screw case ø 3.0 - 3.5 - 3.5 C	1
S33	Depth meter ø 3.0 - 3.5 mm	1
S340	Exagonal screwdriver ø 2.5 mm	1
VS35	Bushing carrier/extractor	1
VS36	Pinstoppers 3.0 - 3.5 series	1
VS380	Drill guide ø 3.5 mm	1
VS381	Drill guide ø 3.0 mm	2
VS390	Drill bit ø 2.8 mm	1
VS391	Drill bit ø 2.5 mm	1
VSVS	Temporary stab. screw ø 3.5 mm	1
VSV30	Temporary stab. screw ø 3.0 mm	1

Micro screws ø 1.7 mm

Ref.	L. mm	Qty
V2356	6	2
V2357	7	2
V2358	8	2
V2359	9	2
V2360	10	3
V2362	12	3
V2364	14	3



Screws ø 2.5 mm

Ref.	L. mm	Qty
V2510	10	4
V2512	12	4
V2514	14	5
V2516	16	4
V2518	18	3
V2520	20	3
V2522	22	3
V2524	24	3
V2526	26	3
V2528	28	2
V2530	30	2



Screws ø 3.5 mm

Ref.	L. mm	Qty
V3516	16	3
V3518	18	4
V3520	20	6
V3522	22	5
V3524	24	5
V3526	26	4
V3528	28	3
V3530	30	3
V3532	32	3
V3534	34	2
V3536	36	2
V3538	38	2
V3542	42	2
V3546	46	2
V3550	50	1





VS183



VS188



S340



S24



VS185



VS220



VS221



VS390



VS391



VS23



S33



VS25



VS35



VS380



VS381



VS210



VS27



VS36



VSV19




V SVM



VSV30



VSVS



VS180

The tray is provided without instruments



VS200



VS310

6 Medium Starter Kit SGD 9.600

Micro series supports

Ref.	Support	L. mm	THK mm	Qty
V1800	T	23	1.2	1
V1801	Long T	32	1.2	1
V1806	Straight	31	1.2	1
V1807	Straight	47	1.2	1
V1808	Straight	60	1.2	1

1.9-2.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V2001	T	32	1.5	1
V2004	L	53	1.5	1
V2101	Straight	39	1.2	1
V2102	Straight	63	1.5	1
V2201	Straight	71	1.5	1
V2204	Straight	93	2.0	1

3.0-3.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V3001	T	45	1.5	1
V3003	T	53	2.0	1
V3005	L	64	2.0	1
V3201	Straight	60	1.5	1
V3303	Straight	118	2.5	1
V3304	Straight	138	2.5	1
V3401	Straight	171	3.0	1

Micro series instruments

Ref.	Description	Qty
VS183	Depth meter	1
VS188	Micro screwdriver	1
VS185	Micro bushing carrier	1
VS180	Micro series instruments tray	1

1.9-2.5 series instruments

Ref.	Description	Qty
VS200	Screw case ø 1.7 - 1.9 - 2.5 - 2.7 C	1
VS210	Drill guide ø 1.9 - 2.5 mm	2
VS220	Drill bit ø 2.0 mm	1
VS221	Drill bit ø 1.5 mm	1
VS231	Depth meter ø 1.9 mm	1
VS23	Mini serie depth meter	1
S24	Hexagonal screwdriver ø 2.0 mm	1
VS25	Bushing carrier/extractor	1
VS27	Pinstoppers 1.9 - 2.5 series	1
VSVM	Temporary stab. screw ø 2.5 mm	1
VSV19	Temporary stab. screw ø 1.9 mm	1

3.0-3.5 series instruments

Ref.	Description	Qty
VS310	Screw case ø 3.0 - 3.5 - 3.5 C	1
VS325	Fixin plate benders (2 pcs.)	1
S33	Depth meter ø 3.0 - 3.5 mm	1
S340	Exagonal screwdriver ø 2.5 mm	1
VS35	Bushing carrier/extractor	1
VS36	Pinstoppers 3.0 - 3.5 series	1
VS380	Drill guide ø 3.5 mm	1
VS381	Drill guide ø 3.0 mm	2
VS390	Drill bit ø 2.8 mm	1
VS391	Drill bit ø 2.5 mm	1
VSVS	Temporary stab. screw ø 3.5 mm	1
VSV30	Temporary stab. screw ø 3.0 mm	1

Micro screws ø 1.7 mm

Ref.	L. mm	Qty
V2356	6	3
V2357	7	3
V2358	8	3
V2359	9	3
V2360	10	3
V2362	12	3
V2364	14	3




Screws ø 1.9 mm

Ref.	L. mm	Qty
V2406	6	1
V2407	7	1
V2408	8	1
V2409	9	1
V2410	10	1
V2412	12	1
V2414	14	1



Screws ø 2.5 mm

Ref.	L. mm	Qty
V2510	10	4
V2512	12	5
V2514	14	6
V2516	16	5
V2518	18	3
V2520	20	3
V2522	22	3
V2524	24	3
V2526	26	2
V2528	28	2
V2530	30	2



VS180

The tray is provided without instruments

Screws ø 3.0 mm

Ref.	L. mm	Qty
V2610	10	1
V2612	12	1
V2614	14	1
V2616	16	1
V2618	18	1
V2620	20	1
V2622	22	1
V2624	24	1
V2626	26	1
V2628	28	1
V2630	30	1



Screws ø 3.5 mm

Ref.	L. mm	Qty
V3516	16	3
V3518	18	4
V3520	20	6
V3522	22	5
V3524	24	5
V3526	26	4
V3528	28	4
V3530	30	4
V3532	32	4
V3534	34	3
V3536	36	3
V3538	38	3
V3542	42	2
V3546	46	2
V3550	50	1



7 Large Starter Kit SGD 9.750

Micro series supports

Ref.	Support	L. mm	THK mm	Qty
V1800	T	23	1.2	1
V1801	Long T	32	1.2	1
V1806	Straight	31	1.2	1
V1807	Straight	47	1.2	1
V1808	Straight	60	1.2	1

1.9-2.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V2001	T	32	1.5	1
V2003	T	25	1.2	1
V2004	L	53	1.5	1
V2101	Straight	39	1.2	1
V2102	Straight	63	1.5	1
V2106	Straight	46	1.5	1
V2201	Straight	71	1.5	1
V2204	Straight	93	2.0	1

3.0-3.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V3001	T	45	1.5	1
V3005	L	64	2.0	1
V3021	T	44	1.5	1
V3201	Straight	60	1.5	1
V3203	Straight	109	2.0	1
V3302	Straight	95	2.5	1
V3303	Straight	118	2.5	1
V3304	Straight	138	2.5	1
V3401	Straight	171	3.0	1

Micro series instruments

Ref.	Description	Qty
VS183	Depth meter	1
VS188	Micro screwdriver	1
VS185	Micro bushing carrier	1
VS180	Micro series instruments tray	1

1.9-2.5 series instruments

Ref.	Description	Qty
VS200	Screw case ø 1.7 - 1.9 - 2.5 - 2.7 C	1
VS201	ø 1.9 - 2.5 tray 260x120x30 mm	1
VS210	Drill guide ø 1.9 - 2.5 mm	3
VS220	Drill bit ø 2.0 mm	1
VS221	Drill bit ø 1.5 mm	1
VS231	Depth meter ø 1.9 mm	1
VS23	Mini serie depth meter	1
S24	Hexagonal screwdriver ø 2.0 mm	1
VS25	Bushing carrier/extractor	1
VS27	Pinstoppers 1.9 - 2.5 series	1
VSVM	Temporary stab. screw ø 2.5 mm	1
VSV19	Temporary stab. screw ø 1.9 mm	1

3.0-3.5 series instruments

Ref.	Description	Qty
VS310	Screw case ø 3.0 - 3.5 - 3.5 C	1
VS325	Fixin plate benders (2 pcs.)	1
S33	Depth meter ø 3.0 - 3.5 mm	1
S340	Exagonal screwdriver ø 2.5 mm	1
VS35	Bushing carrier/extractor	1
VS36	Pinstoppers 3.0 - 3.5 series	1
VS311	3.0 - 3.5 tray 260x120x30 mm	1
VS380	Drill guide ø 3.5 mm	1
VS381	Drill guide ø 3.0 mm	2
VS390	Drill bit ø 2.8 mm	1
VS391	Drill bit ø 2.5 mm	1
VSVS	Temporary stab. screw ø 3.5 mm	1
VSV30	Temporary stab. screw ø 3.0 mm	1
VS900	JIG modular 3 sizes	1

Micro screws ø 1.7 mm

Ref.	L. mm	Qty
V2356	6	4
V2357	7	4
V2358	8	4
V2359	9	4
V2360	10	4
V2362	12	4
V2364	14	4



Screws ø 1.9 mm

Ref.	L. mm	Qty
V2406	6	2
V2407	7	2
V2408	8	2
V2409	9	2
V2410	10	2
V2412	12	2
V2414	14	2




Screws ø 2.5 mm


Ref.	L. mm	Qty
V2510	10	4
V2512	12	6
V2514	14	8
V2516	16	6
V2518	18	4
V2520	20	3
V2522	22	3
V2524	24	3
V2526	26	2
V2528	28	2
V2530	30	2




VS180*



VS201*



VS311*



*The trays are provided without instruments

Screws ø 3.0 mm

Ref.	L. mm	Qty
V2610	10	2
V2612	12	2
V2614	14	2
V2616	16	2
V2618	18	2
V2620	20	2
V2622	22	2
V2624	24	2
V2626	26	2
V2628	28	2
V2630	30	2



VS900



VS325

Screws ø 3.5 mm

Ref.	L. mm	Qty
V3512	12	2
V3514	14	2
V3516	16	3
V3518	18	6
V3520	20	8
V3522	22	7
V3524	24	6
V3526	26	5
V3528	28	4
V3530	30	4
V3532	32	4
V3534	34	3
V3536	36	3
V3538	38	3
V3542	42	2
V3546	46	2
V3550	50	1



VSV19



V SVM



VSV30



VSVS



VS200




VS310

8 TPLO Starter Kit SGD 8.750

Power Tools & Accessories

Ref.	Description	Qty
SMX6001	TPLO Saw	1
SMX2021-00	Charger	1
SMX2026-00	Rechargeable Battery	1
SMX2030-00	Battery Kit	1



TPLO Blades

Ref.	Description	Radius	Qty
VS921	Saw blade TPLO/CBLO	21	1
VS924	Saw blade TPLO/CBLO	24	1
VS927	Saw blade TPLO/CBLO	27	1
VS930	Saw blade TPLO/CBLO	30	1
VS941	Hub medium	18-21	1
VS942	Hub large	24-27-30	1



3.0-3.5 series supports

Ref.	Support	L. mm	THK mm	Qty
V3001	T	45	1.5	1
V3002	T	56	2.0	1
V3003	T	53	2.0	1
V3021	T Prebended	44	1.5	1
V3022	T Prebended	56	2.0	1
V3033	L Prebended (L)	41	1.5	1
V3034	L Prebended (R)	41	1.5	1
V3043	L Prebended (L)	87	2.5	1
V3044	L Prebended (R)	87	2.5	1
V3061	TPLO Clover (L)	55	2.7	1
V3062	TPLO Clover (R)	55	2.7	1

3.0-3.5 series instruments

Ref.	Description	Qty
VS310	Screw case ø 3.0 - 3.5 - 3.5 C	1
S33	Depth meter ø 3.0 - 3.5 mm	1
S340	Exagonal screwdriver ø 2.5 mm	1
VS35	Bushing carrier/extractor	1
VS36	Pinstoppers 3.0 - 3.5 series	1
VS380	Drill guide ø 3.5 mm	1
VS381	Drill guide ø 3.0 mm	2
VS390	Drill bit ø 2.8 mm	1
VS391	Drill bit ø 2.5 mm	1
VS900	JIG modular 3 sizes	1
VSV30	Temporary stab. screw ø 3.0 mm	1
VSVS	Temporary stab. screw ø 3.5 mm	1

Screws ø 3.5 mm

Ref.	L. mm	Qty
V3518	18	5
V3520	20	5
V3522	22	5
V3524	24	5
V3526	26	5
V3528	28	5
V3530	30	5
V3532	32	5



SOLOMAXTM **STARTER KITS**



No capital expenditure

No repair cost

No repair wait

Semi-disposable

Provided sterile

**Re-sterilization
(ETO or autoclave)**

Relaible

Powerfull

Lightweight

**Affordable handpiece
> Affordable replacement cost**

Affordable back-up

1 Basic Kit SGD 2.650

One power tool

Power Tools

Ref.	Description
SMX2001	Oscillating saw
SMX2018	Drill
SMX6001	TPLO Saw

Choose one



SMX2001



SMX6001



SMX2018

Accessories

Ref.	Description	Qty
SMX2021-00	Charger	1
SMX2026-00	Rechargeable Battery	1
SMX2030-00	Battery Kit	1
SMX2034-00	Power Console	0
SMX2038-00	Power Cable	0

Buy a second battery get an additional battery kit for free

2 TPLO Kit SGD 4.550

Power Tools

Ref.	Description	Qty
SMX2001	Oscillating saw	0
SMX2018	Drill	0
SMX6001	TPLO Saw	1

Accessories


Ref.	Description	Qty
SMX2021-00	Charger	1
SMX2026-00	Rechargeable Battery	1
SMX2030-00	Battery Kit	1
SMX2034-00	Power Console	0
SMX2038-00	Power Cable	0

TPLO Blades

Ref.	Description	Radius	Qty
VS909	Saw blade TPLO/CBLO	9.5	1
VS912	Saw blade TPLO/CBLO	12	1
VS915	Saw blade TPLO/CBLO	15	1
VS918	Saw blade TPLO/CBLO	18	1
VS921	Saw blade TPLO/CBLO	21	1
VS924	Saw blade TPLO/CBLO	24	1
VS927	Saw blade TPLO/CBLO	27	1
VS930	Saw blade TPLO/CBLO	30	1
VS940	Hub small	12-15	1
VS941	Hub medium	18-21	1
VS942	Hub large	24-27-30	1



SMX6001



Hub



Saw blade

3 Osteotomies Kit SGD 2.880

Power Tools

Ref.	Description	Qty
SMX2001	Oscillating saw	1
SMX2018	Drill	
SMX6001	TPLO Saw	

Accessories


Ref.	Description	Qty
SMX2021-00	Charger	1
SMX2026-00	Rechargeable Battery	1
SMX2030-00	Battery Kit	1
SMX2034-00	Power Console	0
SMX2038-00	Power Cable	0




SMX2001

Blades

Ref.	Description	Qty
VBL01	Oscillating saw blade	1
VBL02	Oscillating saw blade	1
VBL03	Oscillating saw blade	1
VBL04	Oscillating saw blade	1
VBL05	Oscillating saw blade	1
VBL06	Oscillating saw blade	1
VBL07	Oscillating saw blade	1
VBL08	Oscillating saw blade	1




VBL04 – Thickness 0.40mm / 0.016"




VBL05 – Thickness 0.40mm / 0.016"




VBL01 – Thickness 1.00mm / 0.039"



VBL06 – Thickness 0.40mm / 0.016"



VBL02 – Thickness 0.89mm / 0.035"



VBL07 – Thickness 0.40mm / 0.016"



VBL03 – Thickness 1.00mm / 0.039"



VBL08 – Thickness 0.60mm / 0.024"

ISOLOCK

STARTER KITS



orthopedic suture system



Sterilized



Few instruments



Easy to use



Competitive price

1

Iso-lock Starter Kit **SGD 4.200**


Iso-lock

Ref.	Description	Qty
VK4100	ISO-LOCK Ø 1 + Interference screw Ø 4.0 + reamer Ø 2.2	5
VK4102	ISO-LOCK Ø 1.5 + Interference screw Ø 5.5 + reamer Ø 2.8	5
VK4103	ISO-LOCK Ø 2 + Interference screw Ø 5.5 + reamer Ø 2.8	5



Instruments

Ref.	Description	Qty
V4005	Interference screw Ø 4.0 mm	1
V4006	Interference screw Ø 5.5 mm	1
S340	Exagonal screwdriver Ø 2.5 mm	1
VS401	Ø 1.5 mm K. Wire drill guide	1
VS402	Ø 2.0 mm K. Wire drill guide	1
VS404	Tap Ø 4.0 mm screw (1.0 suture)	1
VS405	Tap Ø 5.5 mm screw (1.5 & 2.0 suture)	1
VS406	Ø 2.2 mm reamer (1.0 suture)	1
VS407	Ø 2.8 mm reamer (1.5 & 2.0 suture)	1
VS408	Suture fork small	1
VS409	Suture fork medium	1



[illegible]



Intrauma S.p.A. - Via Genova, 19 - 10098 Rivoli (TO) Italia
Tel. +39.011.953.94.96 - Fax +39.011.957.42.91 - fixin@intrauma.com - www.intrauma.com

USA Office: **Intrauma America LLC** – Suite 304 - 50 Harrison str. - 07030 Hoboken - NJ
P. 201.420.0110 - F. 201.420.0228 – orders@intrauma.com

Dates and images

Intrauma S.p.A. reserves the right to modify the design and finishing of the products shown and described in the present catalog without any notice. The images are informative and only regarded as examples. The information provided is purely indicative of the products displayed. Such information does not constitute an accurate description of the characteristics on the part of the manufacturer. We therefore invite our clients to always contact Intrauma S.p.A. to obtain full details on our product's specifications.

© Intrauma - Patented products - May 2017



<https://www.facebook.com/IntraumaVET>